

Basic Research in Cardiology

Archiv für Kreislaufforschung

Official Journal of the German Cardiac Society

Editor:

G. Heusch, Essen

Editorial Assistants:

P. Gres, R. Schulz, Essen

Editorial Board:

H. Antoni, Freiburg
D. Bristow, Portland
O. E. Brodde, Essen
R. Busse, Frankfurt
J. M. Canty, Buffalo
W. M. Chilian, College Station
P. B. Corr, St. Louis
H. Drexler, Freiburg
G. Ertl, Würzburg
W. Flameng, Leuven
K. P. Gallagher, Ann Arbor
E. Gerlach, München
B. D. Guth, Biberach
O. Hess, Zürich
G. R. Heyndrickx, Aalst
J. Holtz, Halle
Ch. Holubarsch, Freiburg
H. Kammermeier, Aachen
T. Kenner, Graz
R. A. Kloner, Los Angeles
T. Lüscher, Basel
G. Mall, Darmstadt
M. Matsuzaki, Ube

P. A. Murray, Baltimore
J. R. Parratt, Glasgow
W. J. Paulus, Aalst
H. M. Piper, Düsseldorf
U. Pohl, Lübeck
F. W. Prinzen, Maastricht
U. Ravens, Essen
W. Schaper, Bad Nauheim
J. D. Schipke, Düsseldorf
A. Schömig, München
M. Schwaiger, München
D. J. Sheridan, London
B. Swynghedauw, Paris
E. Thaulow, Oslo
J. X. Thomas, Chicago
B. Török, Pécs
H. A. Tritthart, Graz
G. J. van der Vusse, Maastricht
P. D. Verdouw, Rotterdam
U. Walter, Würzburg
H. G. Zimmer, München
I. H. Zucker, Omaha

Contents of Volume 88 (1993)



Steinkopff Verlag · Darmstadt

Contents of Volume 88 (1993)

Editor's Note	1
 Preface	
Piper HM, Ferrari R (Düsseldorf, FRG/Brescia, Italy) Energy and cation control in ischemia-reperfusion	379
 Editorial	
Jones CJH, Kuo L, Davis MJ, Chilian WM (Texas, USA) Myogenic and flow-dependent control mechanisms in the coronary microcirculation	2
 Invited Editorial	
Schaper W (Bad Nauheim, FRG) New paradigms for collateral vessel growth	193
 Original Contributions	
Aidonidis I, Metz J, Gerstheimer F, Kübler W, Brachmann J (Heidelberg, FRG) Significance of cardiac innervation on spontaneous ventricular arrhythmias elicited by left stellate ganglion stimulation in dogs 4 days after myocardial infarction: Comparison of two experimental models	155
Aiello EA, Grassi de Gende AO (La Plata, Argentina) Transport and release of calcium by sarcoplasmic reticulum in chemically skinned ventricular muscle of the rat	33
Arad M, Shotan A, Heller M, Rabinowitz B, Uretzki G (Tel Aviv, Jerusalem, Israel) In vivo assessment of the inotropic and toxic effects of oxidized ouabain	42
Benedetti RG, Wise KJ, Massey LK (Burlington, Spokane, USA) The hemodynamic effect of dietary supplementation on rat renovascular hypertension	60
Brasch L (Lübeck, FRG) Field stimulation-induced noradrenalin release from guinea-pig atria is modulated by prejunctional α_2 -adrenoceptors and protein kinase C	545
Classen L, Michalsky G, Kammermeier H (Aachen, FRG) Catecholamine-induced cardiac necroses: Protective effect of leucocytopenia, influence of a S_2 antagonist, thromboxanesynthetase inhibitor and prostacycline analogue	52
Crompton M, Andreeva L (London, United Kingdom) On the involvement of a mitochondrial pore in reperfusion injury	513
Damerau W, Ibel J, Thürich T, Assadnazari H, Zimmer G (Berlin, Frankfurt/Main, FRG) Generation of free radicals in Langendorff and working hearts during normoxia, hypoxia, and reoxygenation.	141
Drake-Holland AJ, Elcher PR, Hynd J, Noble MIM (London, United Kingdom) Infarct size in rabbits: a modified method illustrated by the effects of propranolol and trimetazidine	250
Eisner DA, Smith GL, O'Neill SC (Liverpool/Glasgow, United Kingdom) The effects of lactic acid production on contraction and intracellular pH during hypoxia in cardiac muscle	421
Ferrari R, Pedersini P, Bongrazio M, Gala G, Bernocchi P, Di Lisa F, Visloff O (Brescia/Catania, Italy) Mitochondrial energy production and cation control in myocardial ischaemia and reperfusion	495
Fiolet JWT, Schumacher CA, Baartscheer A, Coronel R (Amsterdam, The Netherlands) Osmotic changes and transsarcolemmal ion transport during ischaemia of isolated rat ventricular myocytes	396
Frederiks WM, Schellens JPM, Marx F, Bosch KS, Vreeling-Sindelárová H (Amsterdam, The Netherlands) Histochemical detection of glycogen phosphorylase activity as parameter for early ischemic damage in rat heart	130

Gattullo D, Linden RJ, Losano G, Pagliaro P, Westerhof N (Torino, Italy/London, United Kingdom/Amsterdam, The Netherlands) Ventricular distension and diastolic coronary blood flow in the anaesthetized dog	340
Gevers M, Hack WWM, Ree EF, Lafeber HN, Westerhof N (Amsterdam, The Netherlands) Calculated mean arterial blood pressure in critically ill neonates	80
Goto M, Miura T, Itoya M, Sakamoto J, Iimura O (Sapporo, Japan) Reduction of regional contractile function by preconditioning ischemia does not play a permissive role in the infarct size-limitation by the preconditioning	594
Groeneveld ABJ, Visser FC (Amsterdam, The Netherlands) Correlation of heterogeneous blood flow and fatty acid uptake in the normal dog heart	223
Guth BD, Miura T, Thaulow E, Heusch G, Ross jr J (San Diego, USA) Alpha ₁ -adrenergic blockade reduces exercise-induced regional myocardial ischemia in dogs	282
Harper IS, Bond JM, Chacon E, Reece JM, Herman B, Lemasters JJ (Chapel Hill, USA/Tygerberg, South Africa) Inhibition of Na ⁺ /H ⁺ exchange preserves viability, restores mechanical function, and prevents the pH paradox in reperfusion injury to rat neonatal myocytes	430
Hebisch S, Bischoff E, Soboll S (Wuppertal/Düsseldorf, FRG) Influence of 2,3-butanedione monoxime on heart energy metabolism	566
Henden T, Larsen TS, Lathrop DA (Tromsø, Norway) Effect of stimulation and veratrine on total cellular calcium in rat and guinea-pig ventricular myocytes	557
Hendriks M, Toshima Y, Mubagwa K, Flameng W (Leuven, Belgium) Improved functional recovery after ischemic preconditioning in the globally ischemic rabbit heart is not mediated by adenosine A ₁ receptor activation.	576
Hopf H-B, Stühmeier K-D, Klement W, Langen K-J, Peters J (Düsseldorf/Jülich, FRG) Effects of arginine-vasopressin on regional blood volume distribution in supine humans	297
Jacob R, Dierberger B, Gülch GW, Kissling G (Tübingen, FRG) Geometric and muscle physiological factors of the Frank-Starling mechanism	86
Kammermeier H (Aachen, FRG) Meaning of energetic parameters	380
Klein HH, Stier A, Pich S, Gehrke D, Nebendahl K, Lindert-Heimberg S, Schade-Brittinger C, Fröde R, Schaper J (Marburg/Göttingen, FRG) Postischemic cell death in reperfused porcine hearts is not attenuated by the spin trap agent PBN during early reperfusion	212
Kuschinsky W, Büniger R, Schröck H, Mallet RT, Sokoloff L (Heidelberg, FRG/Bethesda, USA) Local glucose utilization and local blood flow in hearts of awake rats	233
Lerch R (Geneva, Switzerland) Oxidative substrate metabolism during postischemic reperfusion	525
Marchant CT, Barron DM, Wilson SM, Jordan LR, Willis RJ (Nathan, Australia) No evidence of malonyldialdehyde during reoxygenation injury in vitamin E-deficient rat heart	314
Milting H, Thies W-R, Breymann T, Léger J, Léger JJ, Meyer H, Körfer R, Jockusch H (Bielefeld/Bad Oeynhausen, FRG/Montpellier, France) Coexpression of alpha and beta myosin heavy-chain isoforms in atria of neonates and infants with congenital heart disease	371
Müller A, Dhein S (Cologne, FRG) Sodium channel blockade enhances dispersion of the cardiac action potential duration. A computer simulation study.	11
Müller FU, Hunnemann DH, Kahles R, Helige G (Göttingen, FRG) Investigation of cardiac metabolism using stable isotopes and mass spectrometry	272
Murata K, Matsuzaki M, Ohtani N, Ozaki M, Katayama K, Fuji T, Khono M, Khotoku S, Ono S, Tanaka N, Shiomi K, Kusakawa R (Yamaguchi, Japan) Time-course of left atrial performance during coronary artery occlusion followed by reperfusion in anesthetized dogs by densitometric analysis of digital atrioventriculographic images	259
Pierpont MEM, Foker JE, Pierpont GL (Minneapolis, USA) Myocardial carnitine metabolism in congestive heart failure induced by incessant tachycardia	362
Piper HM, Siegmund B, Ladilov YuV, Schlüter K-D (Düsseldorf, FRG) Calcium and sodium control in hypoxic-reoxygenated cardiomyocytes	471
Pitschner HF, Droege A, Mitze M, Schlepper M, Brodde O-E (Bad Nauheim/Essen FRG) Down-regulated β-adrenoceptors in severely failing human ventricles: Uniform regional distribution, but not increased internalization.	179
Raschke P, Becker BJ, Leipert B, Schwartz LM, Zahler S, Gerlach E (München, FRG) Postischemic dysfunction of the heart induced by small numbers of neutrophils via formation of hypochlorous acid	321
Ratajska A, Fiejka E, Maksymowicz M, Gawlik Z (Warsaw, Poland) Tunnel capillaries in hypertrophied myocardium of rats with aorto-caval fistula	120
Schaffer SW, Punna S (Mobile, USA) Regulation of sarcolemmal Ca ²⁺ pump by endogenous protein phosphatases	103

Schipke JD, Stocks I, Sunderdiek U, Arnold G (Düsseldorf, FRG) Effect of changes in aortic pressure and in coronary arterial pressure on left ventricular geometry and function Anrep vs. Gardenhose effect	621
Schmidt TA, Larsen JS, Shannon RP, Komamura K, Vatner DE, Kjeldsen K (Copenhagen, Denmark/Southborough, USA) Reduced ^3H -ouabain binding site (Na,K -ATPase) concentration in ventricular myocardium of dogs with tachycardia induced heart failure	607
Scholz W, Albus U (Frankfurt, FRG) Na^+/K^+ exchange and its inhibition in cardiac ischemia and reperfusion	443
Seymour A-ML (Middlesex, United Kingdom) Evaluation of myocardial energy status in vivo by NMR spectroscopy	385
Silverman HS (Baltimore, USA) Mitochondrial free calcium regulation in hypoxia and reoxygenation: relation to cellular injury	483
Siminiak T, Schröder J-M, Sticherling M, Wysocki H (Poznan, Poland/Kiel, FRG) Interleukin-8 is not involved in the increased chemotactic activity of peripheral blood plasma during acute myocardial infarction	150
Smith TW, Rasmusson RL, Lobaugh LA, Lieberman M (Durham, USA) Na^+/K^+ pump inhibition induces cell shrinkage in cultured chick cardiac myocytes	411
Spencer CI, Mörner SEJN, Noble MIM, Seed WA (London, UK/Lund, Sweden) Effects of nifedipine and low $[\text{Ca}^{2+}]$ on mechanical restitution during hypothermia in guinea pig papillary muscles	111
Stark G, Sterz F, Stark U, Bachernegg M, Decrinis M, Lueger A, Pilger E, Tritthart HA (Graz, Austria) Effects of adenosine on electrical activity of isolated guinea pig hearts.	23
Steenbergen C, Fralix TA, Murphy E (Durham, USA) Role of increased cytosolic free calcium concentration in myocardial ischemic injury	456
Steendijk P, van Dijk AD, Mur G, van der Velde T, Baan J (Leiden, The Netherlands) Effect of coronary occlusion and reperfusion on local electrical resistivity of myocardium in dogs	167
Tanamura A, Takeda A, Iwai T, Tuchiya M, Arino T, Nagano M (Tokyo, Japan) Myocardial contractility and ventricular myosin isoenzymes as influenced by cardiac hypertrophy and its regressions	72
Tatsumi T, Kako KJ (Ottawa, Canada) Effects of hydrogen peroxide on mitochondrial enzyme function studied in situ in rat heart myocytes	199
Varró A, Lathrop DA, Hester SB, Nánási PP, Papp JGY (Szeged/Debrecen, Hungary/Liverpool, UK/Tromsø, Norway) Ionic currents and action potentials in rabbit, rat, and guinea pig ventricular myocytes	93
Yamaguchi S, Li KS, Harasawa H, Santamore WP (Yamagata, Japan/Philadelphia, USA/Louisville, USA) Acute alterations in systolic ventricular interdependence-mechanical dependence of right ventricle on left ventricle following acute alteration of right ventricular free wall.	350
Yamahara Y, Asayama J, Ohta B, Matsumoto T, Miyazaki H, Tatsumi T, Kobara M, Inoue M, Inoue D, Nakagawa M (Kyoto, Japan) Release kinetics and correlation with hemodynamic dysfunction of cardiac troponin T in coronary effluent from isolated rat hearts during reperfusion	307
To our Readers	638
Scholarship	524
Author Index to Volume 88 (1993)	640
Subject Index to Volume 88 (1993)	642

Supplements, appeared in 1993:

H. Grobecker, G. Heusch, B. E. Strauer (Eds.)
Angiotensin and the Heart

D. Burkhoff, J. Schaefer, K. Schaffner, D. T. Yue (Eds.)

Myocardial Optimization and Efficiency, Evolutionary Aspects and Philosophy of Science Considerations